


Author Index

- Aboul-Enein, H.Y., see Hefnawy, M.M. 291
- Akram, M.
—, Stuart, M.C. and Wong, D.K.Y.
Direct application strategy to immobilise a thioctic acid self-assembled monolayer on a gold electrode 243
- Alexander, C., see Kirsch, N. 63
- Anfossi, L., see Baggiani, C. 43
- Araújo, A.N., see Jerónimo, P.C.A. 235
- Athanasίου, L., see Panderi, I. 299
- Baggiani, C.
—, Giraudi, G., Giovannoli, C., Tozzi, C. and Anfossi, L.
Adsorption isotherms of a molecular imprinted polymer prepared in the presence of a polymerisable template. Indirect evidence of the formation of template clusters in the binding site 43
- Bauer, C., see Popp, P. 307
- Bayer, T., see Pogorelova, S.P. 113
- Bocchini, P., see Pozzi, R. 313
- Brüggemann, O.
—, Visnjeviski, A., Burch, R. and Patel, P.
Selective extraction of antioxidants with molecularly imprinted polymers 81
- Bulgarevich, E., see Rachkov, A. 191
- Burch, R., see Brüggemann, O. 81
- Cabon, J.Y.
— and Louis Madec, C.
Determination of major antimony species in seawater by continuous flow injection hydride generation atomic absorption spectrometry 209
- Campbell, J., see Spivak, D.A. 23
- Chang, X., see Guo, Y. 319
- Chegel, V.I., see Raitman, O.A. 101
- Chen, L.-C., see Hsu, H.-C. 141
- Chen, R.
—, Smith, B.W., Winefordner, J.D., Tu, M.S., Kertulis, G. and Ma, L.Q.
Arsenic speciation in Chinese brake fern by ion-pair high-performance liquid chromatography–inductively coupled plasma mass spectroscopy 199
- Chou, T.C., see Ou, S.H. 163
- Citterio, D.
—, Omagari, M., Kawada, T., Sasaki, S.-i., Suzuki, Y. and Suzuki, K.
Chromogenic betaine lariates for highly selective calcium ion sensing in aqueous environment 227
- Cook, C.J., see Petcu, M. 73
- Davies, M.P.
—, De Biasi, V. and Perrett, D.
Approaches to the rational design of molecularly imprinted polymers 7
- Davies, S., see Kirsch, N. 63
- De Biasi, V., see Davies, M.P. 7
- de-los-Santos-Álvarez, N.
—, Jesús Lobo-Castañón, M., Miranda-Ordieres, A.J. and Tuñón-Blanco, P.
Electrocatalytic adsorptive voltammetry for fludarabine determination in urine 271
- Deng, J.-H., see Syu, M.-J. 167
- Deveney, B., see Pestov, D. 31
- Din, B., see Guo, Y. 319
- Foster, G., see Piletsky, S. 123
- Fouace, S., see Patel, A. 53
- Galletti, G.C., see Pozzi, R. 313
- Gerakis, A., see Panderi, I. 299
- Giovannoli, C., see Baggiani, C. 43
- Giraudi, G., see Baggiani, C. 43
- Guo, Y.
—, Din, B., Liu, Y., Chang, X., Meng, S. and Tian, M.
Preconcentration of trace metals with 2-(methylthio)aniline-functionalized XAD-2 and their determination by flame atomic absorption spectrometry 319
- Hefnawy, M.M.
— and Aboul-Enein, H.Y.
Fast high-performance liquid chromatographic analysis of mianserin and its metabolites in human plasma using monolithic silica column and solid phase extraction 291
- Ho, K.-C., see Hsu, H.-C. 141
- Hsu, H.-C.
—, Chen, L.-C. and Ho, K.-C.
Colorimetric detection of morphine in a molecularly imprinted polymer using an aqueous mixture of Fe^{3+} and $[\text{Fe}(\text{CN})_6]^{3-}$ 141
- Hu, M., see Rachkov, A. 191
- Ihara, H., see Sagawa, T. 37
- Ikegami, T.
—, Mukawa, T., Nariai, H. and Takeuchi, T.
Bisphenol A-recognition polymers prepared by covalent molecular imprinting 131
- Ivnitski, D.
—, Sitdykov, R. and Ivnitski, N.
Hand-held amperometric sensor for saliva and other oral fluid-based diagnostics 265
- Ivnitski, N., see Ivnitski, D. 265
- Jerónimo, P.C.A.
—, Araújo, A.N., Montenegro, M.C.B.S.M., Satinský, D. and Solich, P.
Colorimetric bismuth determination in pharmaceuticals using a xylenol orange sol–gel sensor coupled to a multicommutated flow system 235
- Jesús Lobo-Castañón, M., see de-los-Santos-Álvarez, N. 271
- Karim, K., see Piletska, E. 179
- Karim, K., see Piletsky, S. 123
- Katz, E., see Raitman, O.A. 101
- Kawada, T., see Citterio, D. 227
- Kazanis, M., see Panderi, I. 299
- Kertulis, G., see Chen, R. 199
- Khan, A.A.
— and Mezbaul Alam, M.
New and novel organic–inorganic type crystalline ‘polypyrrole/poly-antimonic acid’ composite system: preparation, characterization and analytical applications as a cation-exchange material and Hg(II) ion-selective membrane electrode 253

- Kharitonov, A.B., see Pogorelova, S.P. 113
 Kharitonov, A.B., see Raitman, O.A. 101
 Kirsch, N.
 —, Alexander, C., Davies, S. and Whitcombe, M.J.
 Sacrificial spacer and non-covalent routes toward the molecular imprinting of "poorly-functionalized" *N*-heterocycles 63
 Kubo, H.
 —, Player, T.N., Shinoda, S., Tsukube, H., Nariai, H. and Takeuchi, T.
 Chiral recognition of octadentate Na^+ complex with tetra-armed cyclen by molecularly imprinted polymers 137
 Kunitake, T.
 — and Lee, S.-W.
 Molecular imprinting in ultrathin titania gel films via surface sol-gel process 1
- Lee, S.-W., see Kunitake, T. 1
 Legge, C., see Piletsky, S. 123
 Levit, N., see Pestov, D. 31
 Liu, C.C., see Ou, S.H. 163
 Liu, J.
 —, Zhang, K., Ren, X., Luo, G. and Shen, J.
 Bioimprinted protein exhibits glutathione peroxidase activity 185
 Liu, Y., see Guo, Y. 319
 López-Sánchez, J.F., see Pueyo, M. 217
 Louis Madec, C., see Cabon, J.Y. 209
 Luo, G., see Liu, J. 185
- Ma, L.Q., see Chen, R. 199
 Maniscalco, V., see Pestov, D. 31
 Massart, D.L., see Zhang, M.H. 279
 Matsumoto, T., see Rachkov, A. 191
 Mayes, A.G., see Pérez-Moral, N. 15
 Meng, S., see Guo, Y. 319
 Mezbaul Alam, M., see Khan, A.A. 253
 Minoura, N., see Rachkov, A. 191
 Miranda-Ordieres, A.J., see de-los-Santos-Álvarez, N. 271
 Miyahara, C., see Sagawa, T. 37
 Montenegro, M.C.B.S.M., see Jerónimo, P.C.A. 235
 Montero, L., see Popp, P. 307
 Moreno-Bondi, M.C., see Navarro-Villoslada, F. 149
 Mukawa, T., see Ikegami, T. 131
- Nariai, H., see Ikegami, T. 131
 Nariai, H., see Kubo, H. 137
 Navarro-Villoslada, F.
 —, Vicente, B.S. and Moreno-Bondi, M.C.
 Application of multivariate analysis to the screening of molecularly imprinted polymers for bisphenol A 149
 Nian, Y.-M., see Syu, M.-J. 167
- Ohkubo, K., see Sagawa, T. 37
 Omagari, M., see Citterio, D. 227
 Ou, S.H.
 —, Wu, M.C., Chou, T.C. and Liu, C.C.
 Polyacrylamide gels with electrostatic functional groups for the molecular imprinting of lysozyme 163
- Panderi, I.
 —, Gerakis, A., Zonaras, V., Athanasiou, L. and Kazanis, M.
 Development and validation of a liquid chromatography-electrospray ionization mass spectrometric method for the determination of dexamethasone in sheep plasma 299
 Paschke, A., see Popp, P. 307
 Patel, A.
 —, Fouace, S. and Steinke, J.H.G.
 Novel stereoselective molecularly imprinted polymers via ring-opening metathesis polymerisation 53
- Patel, P., see Brüggemann, O. 81
 Pérez-Moral, N.
 — and Mayes, A.G.
 Comparative study of imprinted polymer particles prepared by different polymerisation methods 15
 Perrett, D., see Davies, M.P. 7
 Pestov, D.
 —, Levit, N., Maniscalco, V., Deveney, B. and Tepper, G.
 Molecular imprinting using monomers with solid-state polymerization 31
 Petcu, M.
 —, Schaare, P.N. and Cook, C.J.
 Propofol-imprinted membranes with potential applications in biosensors 73
 Piletska, E.
 —, Piletsky, S., Karim, K., Terpetschnig, E. and Turner, A.
 Biotin-specific synthetic receptors prepared using molecular imprinting 179
 Piletska, E., see Piletsky, S. 123
 Piletsky, S.
 —, Piletska, E., Karim, K., Foster, G., Legge, C. and Turner, A.
 Custom synthesis of molecular imprinted polymers for biotechnological application. Preparation of a polymer selective for tylosin 123
 Piletsky, S., see Piletska, E. 179
 Pinelli, F., see Pozzi, R. 313
 Pizem, H., see Pogorelova, S.P. 113
 Player, T.N., see Kubo, H. 137
 Pogorelova, S.P.
 —, Kharitonov, A.B., Willner, I., Sukenik, C.N., Pizem, H. and Bayer, T.
 Development of ion-sensitive field-effect transistor-based sensors for benzylphosphonic acids and thiophenols using molecularly imprinted TiO_2 films 113
 Popp, P.
 —, Bauer, C., Paschke, A. and Montero, L.
 Application of a polysiloxane-based extraction method combined with column liquid chromatography to determine polycyclic aromatic hydrocarbons in environmental samples 307
 Pozzi, R.
 —, Pinelli, F., Bocchini, P. and Galletti, G.C.
 Rapid determination of methyl *tert*-butyl ether using dynamic head-space/ion mobility spectrometry 313
 Pueyo, M.
 —, López-Sánchez, J.F. and Rauret, G.
 Assessment of CaCl_2 , NaNO_3 and NH_4NO_3 extraction procedures for the study of Cd, Cu, Pb and Zn extractability in contaminated soils 217
- Rachkov, A.
 —, Hu, M., Bulgarevich, E., Matsumoto, T. and Minoura, N.
 Molecularly imprinted polymers prepared in aqueous solution selective for $[\text{Sar}^1, \text{Ala}^8]$ angiotensin II 191
 Raitman, O.A.
 —, Chegel, V.I., Kharitonov, A.B., Zayats, M., Katz, E. and Willner, I.
 Analysis of NAD(P)^+ and NAD(P)H cofactors by means of imprinted polymers associated with Au surfaces: A surface plasmon resonance study 101
 Rauret, G., see Pueyo, M. 217
 Ren, X., see Liu, J. 185
- Sagawa, T.
 —, Togo, K., Miyahara, C., Ihara, H. and Ohkubo, K.
 Rate-enhancement of hydrolysis of long-chain amino acid ester by cross-linked polymers imprinted with a transition-state analogue: evaluation of imprinting effect in kinetic analysis 37
 Sangpagai, C., see Suedee, R. 89
 Sasaki, S.-i., see Citterio, D. 227
 Satinský, D., see Jerónimo, P.C.A. 235
 Schaare, P.N., see Petcu, M. 73

- Shen, J., see Liu, J. 185
- Shinoda, S., see Kubo, H. 137
- Simon, R., see Spivak, D.A. 23
- Sitdykov, R., see Ivnitski, D. 265
- Smith, B.W., see Chen, R. 199
- Solich, P., see Jerónimo, P.C.A. 235
- Soylak, M., see Tuzen, M. 325
- Spivak, D.A.
—, Simon, R. and Campbell, J.
Evidence for shape selectivity in non-covalently imprinted polymers 23
- Srichana, T., see Suedee, R. 89
- Steinke, J.H.G., see Patel, A. 53
- Stuart, M.C., see Akram, M. 243
- Suedee, R.
—, Srichana, T., Sangpagai, C., Tunthana, C. and Vanichapichat, P.
Development of trichloroacetic acid sensor based on molecularly imprinted polymer membrane for the screening of complex mixture of haloacetic acids in drinking water 89
- Sukenik, C.N., see Pogorelova, S.P. 113
- Suzuki, K., see Citterio, D. 227
- Suzuki, Y., see Citterio, D. 227
- Syu, M.-J.
—, Deng, J.-H. and Nian, Y.-M.
Towards bilirubin imprinted poly(methacrylic acid-co-ethylene glycol dimethylacrylate) for the specific binding of α -bilirubin 167
- Takeuchi, T., see Ikegami, T. 131
- Takeuchi, T., see Kubo, H. 137
- Tepper, G., see Pestov, D. 31
- Terpetschnig, E., see Piletska, E. 179
- Tian, M., see Guo, Y. 319
- Togo, K., see Sagawa, T. 37
- Tozzi, C., see Baggiani, C. 43
- Tsukube, H., see Kubo, H. 137
- Tu, M.S., see Chen, R. 199
- Tuñón-Blanco, P., see de-los-Santos-Álvarez, N. 271
- Tunthana, C., see Suedee, R. 89
- Turner, A., see Piletska, E. 179
- Turner, A., see Piletsky, S. 123
- Tuzen, M.
— and Soylik, M.
Column system using diaion HP-2MG for determination of some metal ions by flame atomic absorption spectrometry 325
- Vanichapichat, P., see Suedee, R. 89
- Vicente, B.S., see Navarro-Villoslada, F. 149
- Visnjeviski, A., see Brüggemann, O. 81
- Whitcombe, M.J., see Kirsch, N. 63
- Willner, I., see Pogorelova, S.P. 113
- Willner, I., see Raitman, O.A. 101
- Winefordner, J.D., see Chen, R. 199
- Wong, D.K.Y., see Akram, M. 243
- Wu, M.C., see Ou, S.H. 163
- Xu, Q.S., see Zhang, M.H. 279
- Zayats, M., see Raitman, O.A. 101
- Zhang, K., see Liu, J. 185
- Zhang, M.H.
—, Xu, Q.S. and Massart, D.L.
Averaged and weighted average partial least squares 279
- Zonaras, V., see Panderi, I. 299



Vol. 504

Iss. 1

FEB 16

2004